Geothermal Rebate Program Guidelines

Eligibility for Rebate:

- 1. The building must be a residential structure which uses electricity from a participating Cooperative.
- 2. Geothermal unit must be installed between July 1, 2020 and June 30, 2021.
- 3. Rebate application must be submitted by June 30, 2021, whichever comes first.
- 4. A maximum of two (2) rebates may be paid per member home.
- 5. Rebate of \$800 is to be paid to the cooperative member who owns the building, or for new construction, can be paid to the builder/dealer.
- 6. Backup heating must be electric resistance.

B. Conditions of Rebate:

1. The Cooperative shall inspect the installation before issuing the rebate.

Qualifications for rebate:

- 1. Equipment shall be rated by ARI (Air-Conditioning & Refrigeration Institute) test standards and certified by ARI or CSA (Canadian Standards Association) or other nationally recognized testing organization.
- 2. Equipment installed shall be in compliance with ENERGY STAR requirements for both EER and COP minimums at the time of installation. This will ensure systems will meet requirements for Federal tax credits for geothermal system installation.

Efficiency Requirements	EER	COP
Closed loop water-to-air	17.1	3.6
Open loop water-to-air	21.1	4.1

Note: See www.energystar.gov for minimums for water-to-water or DGX system qualifications.

- The complete system, including any necessary supplemental devices, shall be listed by Underwriters Laboratories or other nationally recognized testing organizations in accordance with U.L. standards.
- 4. The installer shall be a dealer approved by the participating Cooperative.
- 5. The system must include properly-sized duct work.
- 6. The system shall be wired according to the Cooperative's requirements concerning second meters and possible future installation of radio switches for direct load management efforts and in compliance with the National Electric Code and local or Ohio Electric Code requirements.
- 7. Open loops shall be installed in accordance with manufacturer's specifications and recommendations and shall meet applicable Federal, State or local agency standards. Open loop installations shall also have documented water quality and quantity tests conducted by the installer, distributor or manufacturer evidencing the suitability and availability of water required for the application.
- 8. Closed loops shall be installed in accordance with the manufacturer's specifications and recommendations and shall meet applicable Federal, State or local agency standards.
- 9. Direct Expansion loops shall be installed in accordance with manufacturer's specifications and recommendations and shall meet applicable Federal, State or local agency standards.
- 10. Ground loops should be installed by professionals who follow procedures established by the International Ground source Heat Pump Association (IGSHPA).
- Dealers shall provide to consumers, as part of the sales-installation agreement:
 - 1. Owner's manual and instruction for equipment operation.
 - 2. Installation instructions and warranties.
 - 3. An offer for a maintenance/service contract.
 - 4. Dealer shall also provide a sketch of the loop layout location in reference to existing buildings.
- The participating dealer or consumer shall be required to submit to the Cooperative:

- 1. Application for rebate.
- 2. Upon request by the Cooperative, copies of equipment and duct sizing calculations.

Rebate funding is limited and available on a first-come, first-served basis.

Geothermal Rebate Application

Geothermal rebate application must be submitted within 90 days of installation or by June 30, whichever comes first.

ETURN TO	O:		FROM:	
C_ /	Carroll Electric Co Attn: Geothermal R			Installing Contractor Name
7 = [PO Box 67	ebates		Address
	Carrollton, Ohio 44	1615		City, State, ZIP
	Phone: 1-800-232-7	7697		G. (1) G.
1 Horie: 1-000-202-7077			Phone	
nis is to cert	tify that we have obta	ined a signed, appro	oved and valid sale	e and installation contract with:
		Cu	ıstomer Name	
			Address	
		Ci	ity, State, ZIP	
			Phone	
d have inst	talled the following n	ew geothermal equi	inment in the above	e named customer's premises:
a nave mo	tuned the fone wing i	ew geomerman equi	prieste in the doore	shumed edotomer 5 premises.
	Manufacturer	Size (in tons)	EER	COP
14.	iaituiacturei	Size (iii toris)	EEK	COI
ating backu	ıp: 🛛 Oil 🚨 Natur	al Gas 📮 Propane	☐ Electric ☐ Oth	ner
O	option: 🔲 Suppleme	•	nd 🔲 Not applicabl	
Ü	☐ Horizontal ☐ V			Pump & Dump
			a Open Wen	Tunip & Dunip
•	en Loop:	l 🚨 Open		
te of Install	ation:			
pe of sytem	that was replaced:	☐ Geo ☐ HP	☐ Dual Fuel	☐ Propane
		□ N. Gas □ Oil	☐ Other Electric	☐ New Home
ned by:	Γ			Date:
	L	ealer Representative		
		Certificatio	on of Inspect	ion
	onducted an inspection			uipment to be installed and operating m requirements.
Signed by	•			Date:
o-gried by	Coo	perative Representative		
Rehate Pai				Your Touchstone Energy® Cooperative